




YONGLITAI AXLE

Transport your load safely
efficiently and sustainably

PRODUCT CATALOG

German Type Mechanical Suspension



Technical parameter

Item	Carrying capacity	Plate spring	Wheel base	Mounting height
				A
LTG12.3	12t × 3	11-100×12	1360mm	464mm
LTG14.3	14t × 3	12-100×12		455mm
LTG16.3	16t × 3	14-100×12		470mm
LTG18.3	18t × 3	12-100×14		470mm

- Note:**
1. Mounting height is optional.
 2. The A value marked in the figure is the mounting height value for unloading status.
 3. Copper bush and composite bush are optional as equalizer bush.
 4. Rights of changing product design and specification are reserved.

The Customized Solution Provider for Running Gear Systems

YONGLITAI AXLE CO.,LTD.

- 🏠 Add.1: F1, F2, No.1, Zone E, Yonglitai Industrial Park,
Sanshui, Foshan, Guangdong, China
Add.2: Mohe Community, Economic Development Zone,
Gucheng, Xiangyang, Hubei, China
- ☎ Tel: +86-757-88311381(Oversea)
+86-757-88311360(Foshan)
+86-0710-7402969(Hubei)
- ☎ Fax: +86-757-88311322
- ✉ E-mail: sales@lctmc.com
- 🌐 Website: www.lctmc.com